

HP375WCU-T2

Whatever the job, Doosan Portable Power air compressors have the solution. Combining advanced engineering with cost-effective features, the HP375WCU-T2 portable air compressor provides the ultimate in serviceability, durability and convenience.



Free Air Delivery
10.6 m³/min (375 cfm)

Pressure
10.3 bar (150 psig)

Specifications

Compressor

Free-Air Delivery - cfm (m ³ /min)	375 (10.6)
Rated Operating Pressure - psig (bar)	150 (10.3)
Pressure range - psig (bar)	80 - 175 (5.5 - 12.1)
Air Discharge outlet size – in (mm)	1.25 (31.8)
Air Discharge outlet Quantity	1
Fuel Tank Capacity – gal (L)	63 (239)

Engine

Make/Model	Cummins/ B3.9
Emissions Tier Level	Tier 2
Number of Cylinders	4

Displacement - cu in (L)	238 (3.9)
Rated Speed - rpm	2200
Idle Speed - rpm	1400
Bhp @ rated speed (kW)	125 (93.3)
Electrical - volts	12V
Hours of operation @ Full Load	9.5

Dimensions W/ Running Gear

Length - in (mm)	152.5 (3874)
Width - in (mm)	78.1 (1984)
Height - in (mm)	73 (1854)
Track Width – in (mm)	66.6 (1692)
Tire size – in	15
Shipping Weight w/o fuel - lb (kg)	3920 (1778)
Working Weight w/fuel - lb (kg)	4370 (1982)

Dimensions W/o Running Gear

Length - in (mm)	95.5 (2426)
Width - in (mm)	57.8 (1468)
Height - in (mm)	61.6 (1564)
Shipping Weight w/o fuel - lb (kg)	3545 (1608)
Working Weight w/fuel - lb (kg)	3995 (1812)
